

**Figure 2-34. Alternative 5: Essential Fish Habitat of the GOA Basin Ecoregion (>3,000 m)**




Figure 2-35. Alternative 5: Essential Fish Habitat of the BSAI Basin Ecoregion (>3,000 m)




Figure 2-36. Alternative 6: Essential Fish Habitat for Late Juvenile and Adult GOA Pacific Ocean Perch







Figure 2-37. Alternative 6: Essential Fish Habitat for Late Juvenile and Adult BSAI Pacific Cod



**Figure 2-38. Alternative 6: Essential Fish Habitat for BSAI Golden King Crab**



**Figure 2-39. Alternative 6: Essential Fish Habitat for Late Juvenile and Adult Weathervane Scallops**



**Figure 2-40. Alternative 6: Essential Fish Habitat for Marine Juvenile and Maturing Adult Chinook Salmon**





Figure 2-41. Alternative 2: Gulf Slope Bottom Trawl Closures



**Figure 2-42. Alternative 3: Upper Slope Bottom Trawl Closures**

EFH Mitigation Alternative 3 Gulf of Alaska: Prohibit the use of bottom trawl gear targeting GOA slope rockfish on the GOA slope (200-1,000m)




Figure 2-43. Alternative 4: Bering Sea Open/Closed Areas




Figure 2-44. Diagram of Trawl Gear

